

# **Argyle Zip** 812951M | 812951W

#### Description

6-inch lace-up ankle boot with padded collar and tongue with side zip.

#### Upper Materials

Premium full-grain cowhide water resistant leather upper and double stitched in nylon thread. Non-corrosive laces and zip side.

#### Toe Cap

Ergo-Defender<sup>™</sup> wide profile steel toe box. ASTM F2413-11 M I/75 C/75 EH.

#### Lining Materials

This boot is lined with Baltico<sup>®</sup>, which is a soft, non-abrasive, hydrophobic material that wicks perspiration away from the foot, enabling the skin to remain cool and dry.

## Full Innersole

A full length footbed that is inserted into the footwear to offer additional support and comfort. This footbed is made from soft polyurethane that will retain its shape and thickness throughout the life of the boot.

#### Insole

Heavy-duty, flexible anti-bacterial non-woven insole.

## Midsole

Directly moulded Polyurethane midsole for greater shock absorption.



All Steel Blue boots are independently certified to major international safety standards.

#### Outsole

Non-conductive Thermoplastic Urethane (TPU) outsole for superior wear properties. Heat resistant to 266°F. ASTM F2913-11 Coefficient of Friction - Forward Flat Slip Resistance Oily/Wet 0.40.

#### Superior Underfoot Comfort

The Steel Blue Trisole® Comfort Technology system is a patented three density soling system that offers a high level of comfort, shock absorbency and energy return. The system uses PORON® as energy absorbing pads under the pressure points of the foot to give the wearer superior comfort and offers similar shock absorbency and comfort to sports footwear.

Footwear marked as EH has been tested and shown to withstand the application of 18,000 V at 60 Hz for a period of 1 minute with no current flow or leakage in excess of 1.0 mA in dry laboratory conditions. This footwear is not suitable where anti-static properties are needed.

#### Note

EH Series footwear is intended for use as secondary protective personal equipment. It is to be used in conjunction with primary protective equipment in areas and environments where there is a need to reduce the risk of electric shock due to accidental contact with live electric wires.



#### Meets International Safety Standards

- ✓ American Standard ASTM F2413-11 M I/75 C/75 EH ✓ European Standard EN ISO 20345
- ✓ Australian/NZ Standard AS/NZS 2210.3



## Sizes

Medium Fit	Wide Fit
7 - 15   Full Sizes	8 - 14   Full Sizes
<b>8</b> ½ - <b>11</b> ½   Half Sizes	81/2 - 111/2   Half Sizes

# Colours

Oak





For more information, visit www.steelblue.com